

Better indoor air – better productivity

Indoor air pollution is considered to be a no. 1 environmental health problem. Tightly sealed buildings and homes may be more energy efficient but can trap pollutants and microbes indoors causing odours, mould, allergies, and illness.

The Clean Air PHI technology has proven to drastically reduce airborne odours, mould, bacteria, and viruses (in the 90+ percentile).

Effective and easy to use – from offices to warehouses

Clean Air Midi is perfect for occupied rooms up to 400 m³: Offices, entrances, locker rooms, restaurants, production areas in the food industry, and warehouses.

- For more information on how the PHI system works, see our PHI leaflet.
- See also our Bacteria Reader to find out how the PHI system reduces airborne smoke, mildew/mould, odours, bacteria, viruses, and VOC's.



Clean Air Midi units are easily mountable on walls.

Technical specifications	Clean Air Midi
Method of production	PHI™
Cells	1x5"A and 1x9"A with a catalyst
Ventilator	420 m ³ /hour
Voltage	230 Volt
Amps	5
Controls	on/off/turbo/medium/low and filter control
Dimensions hxdxw	33x32x24 cm
Weight	24 kg
Material	Stainless steel
Filters	Multiple filter configurations possible
Capacity *	300-600 m ³
*depends on the organic load	

Absorber cartridges

1. Multi cartridge
odours and particulate
2. Ultra cartridge
Particulates – low level elimination
3. Mercury cartridge
Removal mercury vapors
4. VOC cartridge
Smoke, VOC's, chemicals
5. Radon cartridge
Removal radioactive radon gas
6. FOG cartridge
Fats, oils, grease

**supplier reserves the right to technical modifications without further notice

Clean Air

Clean Air Europe

Ambachtsweg 2
7021 BT ZELHEM
NETHERLANDS

PO Box 48
7020 AA ZELHEM
NETHERLANDS

tel. +31 314 62 33 41
fax +31 314 62 33 11
info@cleanaireurope.eu
www.cleanaireurope.eu